

Silence SO1 Connected

Cutting edge technology and design have produced the ultimate e-moto scooter for zero emission city commuting. With its low centre of gravity and exceptional performance, this e-moto scooter is seriously fun to ride. And practical too with its clever removable 'click and go' battery and large luggage space, ideal for two helmets or a small bag.

- > 125cc equivalent
- > Available colours white, green and black
- > App connected
- > Removable battery
- > Charge in any UK standard 240V socket
- > Running costs of around £0.01 per mile
- > Maximum speed 62mph
- > 0-30 in 3.9 seconds
- > Up to 85 mile range (WMTC)
- > Under seat storage
- > LED lighting
- > USB Port







Features

Driving modes

Eco

In Eco mode, the scooter's speed is limited to **43mph**. This allows you to save money and relax more as you drive.

City

The SO1 Connected is designed for getting around the City, with the speed limited to **53mph**, giving the vehicle a good performance level and more balanced power consumption.

Sport

In Sport mode, you can drive at speeds of up to **62mph**, providing increased power and speed in specific cases and more regenerative braking.

CBS and Regenerative Brake

The S01 Connected is equipped with a combined braking system (CBS): the one on the left applies the brakes on both wheels while the one on the right applies the brake on the front wheel and engages the regenerative brake, which assists braking and also recharges the battery.

Reverse gear

Silence scooters are the only ones to feature a reverse gear, offering full manoeuvrability. This is activated by pressing the green button on the left handlebar. Once you've tried it, it becomes an essential driving mode.

Top speed 62 mph (100 km/h), electronically-limited Max range 85 miles (136 km), WMTC homologated Charging time, 0-100% 6-8 hours Battery Lithium-lon, 5.6 kWh Battery Weight 40 kg Weight without batteries 11 kg Wheels (front and rear) 120-70-15 / 140-70-14 Brakes (front and rear) Disc 260 mm / 240 mm Brake system CBS Suspension Hydraulic damping Dimensions 2,000 L 1705 H 11,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LOD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Werranty Vehicle 2 years / Battery 3 Years	Class rating	L3e
Top speed 62 mph (100 km/h), electronically-limited Max range 85 miles (136 km), WMTC homologated Charging time, 0-100% 6-8 hours Battery Lithium-Ion, 5.6 kWh Battery weight 40 kg Weight without batteries 111 kg Wheels (front and rear) 120-70-15 / 140-70-14 Brakes (front and rear) Disc 260 mm / 240 mm Brake system CBS Suspension Hydraulic damping Dimensions 2,000 L 1705 H 13,33 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	Passengers	2
Max range 85 miles (156 km), WMTC homologated Charging time, 0-100% 6-8 hours Battery Lithium-lon, 5.6 kWh Battery weight 40 kg Weight without batteries III kg Wheels (front and rear) Disc 260 mm / 240 mm Brakes (front and rear) Disc 260 mm / 240 mm Brakes system CBS Suspension Hydraulic damping Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Werranty	0 - 30 mph	3.9 seconds
Charging time, 0-100% 6-8 hours Battery Lithium-lon, 5.6 kWh Battery weight 40 kg Weight without batteries 111 kg Wheels (front and rear) 120-70-15 / 140-70-14 Brakes (front and rear) Disc 260 mm / 240 mm Brake system CBS Suspension Hydraulic damping Dimensions 2.000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heeter Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	Top speed	62 mph (100 km/h), electronically-limited
Battery Weight Without batteries III kg Weight without batteries III kg Wheels (front and rear) 120-70-15 / 140-70-14 Brakes (front and rear) Disc 260 mm / 240 mm Brake system CBS Suspension Hydraulic damping Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Wehranty	Max range	85 miles (136 km), WMTC homologated
Battery weight 40 kg Weight without batteries 111 kg Wheels (front and rear) 120-70-15 / 140-70-14 Brakes (front and rear) Disc 260 mm / 240 mm Brake system CBS Suspension Hydraulic damping Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Wehrenty	Charging time, 0-100%	6-8 hours
Weight without batteries Till kg Wheels (front and rear) Disc 260 mm / 240 mm CBS Suspension Hydraulic damping Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	Battery	Lithium-Ion, 5.6 kWh
Wheels (front and rear) 120-70-15 / 140-70-14 Brakes (front and rear) Disc 260 mm / 240 mm CBS Suspension Hydraulic damping Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty	Battery weight	40 kg
Brake system CBS Suspension Hydraulic damping Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty	Weight without batteries	111 kg
Brake system CBS Suspension Hydraulic damping 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty	Wheels (front and rear)	120-70-15 / 140-70-14
Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty	Brakes (front and rear)	Disc 260 mm / 240 mm
Dimensions 2,000 L *705 H *1,313 W (mm) Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty	Brake system	CBS
Wheelbase 1,450 mm Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty	Suspension	Hydraulic damping
Max authorised weight 320 kg Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Features Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty	Dimensions	2,000 L *705 H *1,313 W (mm)
Motor Integrated hub motor, brushless, 7 kW (9 kW peak power) Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Vehicle 2 years / Battery 3 Years	Wheelbase	1,450 mm
Regenerative braking, reverse gear, central stand and side stand BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO On board unit (OBU) with SIM connected to the "Silence Connected" APP Vehicle 2 years / Battery 3 Years	Max authorised weight	320 kg
BMS (Battery Management System) Counter system: it monitors the cell voltage, the number of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Wehicle 2 years / Battery 3 Years	Motor	Integrated hub motor, brushless, 7 kW (9 kW peak power)
of battery charges and discharges and the temperature Charger 600 W On-board / Off-board (UK 3-pin connection) Heater Battery pack with 55 W heater (while charging) Lighting LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	Features	Regenerative braking, reverse gear, central stand and side stand
Heater Battery pack with 55 W heater (while charging) LED, daytime running, integrated turn signals LCD display Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	BMS (Battery Management System)	
Lighting LED, daytime running, integrated turn signals Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	Charger	600 W On-board / Off-board (UK 3-pin connection)
Speed, SoC (State of Charge), remaining range, temperature, time, 2x trip recorders, partial miles Driving modes City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	Heater	Battery pack with 55 W heater (while charging)
2x trip recorders, partial miles City, Sport, ECO Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Warranty Vehicle 2 years / Battery 3 Years	Lighting	LED, daytime running, integrated turn signals
Connectivity On board unit (OBU) with SIM connected to the "Silence Connected" APP Vehicle 2 years / Battery 3 Years	LCD display	
Warranty Vehicle 2 years / Battery 3 Years	Driving modes	City, Sport, ECO
	Connectivity	On board unit (OBU) with SIM connected to the "Silence Connected" APP
Roadside assistance 2 years, AA	Warranty	Vehicle 2 years / Battery 3 Years
	Roadside assistance	2 years, AA

ccessories





Jet Helmet (Available in black or white | Sizes available S,M,L,XL)







Handle with support for rear box Silence 47L



Double USB



Screen



Anti-theft for handlebar



Low seat

Silence continuously develops its range of accessories and reserves the rights to modify items without prior notice.

The first smart scooter connected via Sim-app as standard

The Silence S01 comes already connected to the Silence Connected APP.

Everything you need to know about your Silence in the **Silence Connected APP**:

- > Geolocation of the scooter
- > State of the vehicle and battery charge percentage
- > Remote starting of the scooter
- > Remote opening of the seat
- > Route creation
- > Historical usage charts
- > CO2 emission reduction statistics



Download the Silence Connected AppAvailable on Google Play and the App Store



Power Battery Pack

The Silence e-moto scooter features an ingenious, patented 'click-and-go' portable battery system, with its own integrated carry handle and trolley wheels. Great for easy charging and enhanced security.





www.silenceuk.com | hello@silenceuk.com

Mobile charging

Charging can be done with the battery in situ or via the simple click and go portable system.



Charge anywhere

Time to go electric

Silence UK

Marlow House 310 Haslucks Green Road Solihull West Midlands B90 2NE

